

OIL REPORT **LAB NUMBER:** G66426 **REPORT DATE:** 3/20/2015

UNIT ID: 84 COUPE
CLIENT ID: 81309
PAYMENT: CC: Visa

INIT

CLIENT

MAKE/MODEL: Audi 2.6L OIL TYPE & GRADE: Valvoline VR1 20W/50

FUEL TYPE: Gasoline (Unleaded) OIL USE INTERVAL: 2,500 Miles

ADDITIONAL INFO:

DANIEL GARZA PHONE: (818) 703-3851

22301 HAYNES ST. FAX:

WOODLAND HILLS, CA 91303 ALT PHONE:

EMAIL: type85@gmail.com

CODE: 20/75

OMMENTS

DAN: You've got a really nice sample here. Universal averages show typical wear for this type of Audi engine after about 6,600 miles on the oil. Your run was shorter, so of course we look for metals to be average or better, and this sample did not disappoint. All metals are where we would hope to find them on a shorter than average run, so there's no evidence of trouble here. No contamination was found and the viscosity was right on the money. We're glad this oil is still in use -- if you haven't changed it yet, another 2,000 miles on the oil should be fine. Looks good!

	MI/HR on Oil	2,500					
NC	MI/HR on Unit	20,000	AVERAGES				UNIVERSAL AVERAGES
	Sample Date	03/14/15					
	Make Up Oil Added	0.5 qt					
	ALUMINUM	3	3				4
MILLIO	CHROMIUM	1	1				1
	IRON	16	16				21
	COPPER	6	6				11
띪	LEAD	2	2				5
Д	TIN	0	0				0
LS.	MOLYBDENUM	0	0				53
8	NICKEL	0	0				0
PA	MANGANESE	0	0				0
Z	SILVER	0	0				0
S	TITANIUM	2	2				0
Η̈́	POTASSIUM	2	2				0
EN	BORON	2	2				73
≅	SILICON	7	7				17
ELEM	SODIUM	304	304				38
	CALCIUM	2034	2034				2451
	MAGNESIUM	11	11				118
	PHOSPHORUS	1305	1305				834
	ZINC	1460	1460				983
	BARIUM	0	0				0

Values Should Be*

SUS Viscosity @ 210°F	84.7	77-94			
cSt Viscosity @ 100°C	16.69	14.8-19.2			
Flashpoint in °F	410	>385			
Fuel %	<0.5	<2.0			
Antifreeze %	0.0	0.0			
Water %	0.0	<0.1			
Insolubles %	0.4	<0.6			
TBN					
TAN					
ISO Code			-		

* THIS COLUMN APPLIES ONLY TO THE CURRENT SAMPLE